International Journal of Current Advanced Research

ISSN: O: 2319-6475, ISSN: P: 2319-6505, Impact Factor: 6.614 Available Online at www.journalijcar.org Volume 11; Issue 04 (B); April 2022; Page No.648-651 DOI: http://dx.doi.org/10.24327/ijcar.2022.651.0146



COMPARATIVE EVALUATION OF CANAL CENTRING ABILITY AND CANAL TRANSPORTATION DURING BIOMECHANICAL PREPARATION USING TWO NITI ROTARY FILES USING CBCT:- AN INVITRO STUDY

Abhijit Sajo Sebastian, Sunita Shivanand, Preeti Doddwad and Amruta Phadke

Department of Conservative Dentistry and Endodontics, KLE VK Institute of Dental Sciences

ARTICLE INFO	A B S T R A C T
Article History: Received 10 th January, 2022 Received in revised form 2 nd February, 2022 Accepted 26 th March, 2022 Published online 28 th April, 2022	 Aim: To evaluate and compare canal centering ability, apical transportation and amount of dentin removed after root canal instrumentation with different rotary file systems using CBCT. Method: Thirty mesial canals of lower molars were selected and divided into two experimental groups (n=15) according to the system used: NeolixNeoniti and One Shape. Pre- and post-instrumentation CBCT imaging was performed to measure mesial and distal distance of the dentin walls. The canal centering ability and canal transportation was
Key words:	calculated using the formulae given by Gambill <i>et al.</i> The volume of removed dentine was measured in mm^3 for each root canal by subtracting the uninstrumented canal volume from
Canal centering, canal transportation, neolix neoniti and oneshape	the instrumented canal volume.

Copyright©2022 *Abhijit Sajo Sebastian et al.* This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

Maintenance of original anatomy and curvature of the root canal during cleaning and shaping procedure is important as it leads to favourable outcome of the procedure^{1,2}. Moreover narrow and curved canals may lead to increased risk of various iatrogenic procedure errors². To avoid these errors and also to manage the various irregularities of canal anatomy, several nickel titanium (NiTi) root canal systems have been introduced³. NiTi rotary instrumentation has not only been beneficial in reducing the treatment time, clinician and patient's fatigue, but also during recent years due to number of advancements in manufacturing techniques there is improvement in its microstructure leading to optimised cutting and shaping efficiency⁴. Neolix Neoniti (Neolix, châtres-la-Forêt, France) is a third generation of NiTi files manufactured using newly developed wire-cut electrical discharge machining (WEDM) process, which consists of one C_1 file for coronal enlargement and three A_1 files.^{4,5} to be used using crown down technique. According to the manufacturers, the heat treatment using during the manufacturing process enhances its flexibility.4,5

The OneShape system (Micro Méga, Besançon, France) is another single file system used in continuous rotation. Specialised characterization of this file is that it consists of non-cutting safety tip and variable tip and 3 variations of cross sections along the active length of the file.^{5,6}

Use of rotary files in severely curved canals increases the likely hood of canal transportation if the file doesn't conform to the curved profile of the canal, therefore evaluation of canal

*Corresponding author: Abhijit Sajo Sebastian Department of Conservative Dentistry and Endodontics, KLE VK Institute of Dental Sciences centring and transportation ability of the NiTi files used is essential.

Various methods have been used to evaluate the efficiency of root canal instrumentation among which CBCT has an added advantage of reduced cost and scanning time, lower dosage of radiation and faster data acquisition compared to micro-CT.^{3,6} This study therefore focuses on evaluation and comparison of canal centring and transportation ability of two NiTi files viz Oneshape files and Neolix NeoNiTi files using CBCT.

METHODOLOGY

Sample selection

30 human permanent mandibular first molars extracted for periodontal and prosthetic reasons with completely formed apices were collected and stored in 0.1% thymol for 24hrs and then in saline.

The teeth were then mounted on wax blocks and radiographed in buccolingual direction to confirm absence calcification, internal resorption and other abnormalities. The curvature angles of the mesiobuccal roots and the roots with curvature angles of 25-30° (according to Schneider's analysis were selected for the study.^{8,9}

Root canal preparation

Access cavity was prepared using Endo-Access bur (Dentsply). The distal roots with the respective part of the crown were sectioned at the furcation level using a low-speed Comparative Evaluation of Canal Centring Ability And Canal Transportation During Biomechanical Preparation Using Two Niti Rotary Files Using Cbct:- An Invitro Study

diamond bur under water and discarded Mesial roots were then mounted on wax blocks and pre-instrumentation CBCT was done The Mesiobuccal root canals were negotiated using #10 K-file (Dentsply). The working length was determined by inserting #10 K-file to root canal terminus and subtracting 1 mm from this measurement. A glide path was established to the working length using a #15 K-file (Dentsply).

Depending upon the rotary system used for canal preparation the teeth were randomly divided into two experimental groups (n = 15).

- Group 1 : Neolix Neoniti(300- 500 rpm/ 1.5 N/cm)
- Group 2 :OneShape(300- 500 rpm/ 2.5N/cm)

In Group 1:- After establishment of glide path the canals were instrumented using C_1 file in the coronal third then using A_1 (#25/0.06) file in the middle and apical third with in and out motion

In Group 2 After establishment of glide path One Shape file (#25/0.06) was used for instrumentation with copious irrigation and recapitulation was done using #10k file.

Instrumentation was carried out using 15% EDTA gel.

Irrigation was done with 2 mL of 5% sodium hypochlorite during instrumentation followed by 1 mL of 17% EDTA for 3 min and a final irrigation with 2 mL of saline solution.

Each instrument was used to prepare three canals, and then discarded.

Pre and Post instrumentation, CBCT scans were taken to check canal transportation and centring ability at three different levels (3,5,7 mm) and statistically analysed.

Canal centering ratio and canal transportation were analyzed using the technique developed by Gambill *et al*, which measures the distance from the edge of the canal to the periphery of the root (mesial and distal) on pre- and post-instrumentation images of the CBCT^{5,10,11}.

The following formula was implemented for canal centering:

X'-X/Y'-Y

According to this formula, a result of "1" will indicate a perfect centering ability.

Results higher than "1" will indicate more mesial movement and results lesser than "1" will indicate more distal movement. The following formula was used for canal transportation: (X'-X) - (Y'-Y)


Results higher or lesser than 0 indicates canal transportation


RESULTS


A statistical analysis (SPSS 15.0; SPSS Inc., Chicago, IL, USA) of the data was performed using independent *t*-test. The statistical significance level was set at P < 0.05.

Statistical analysis between the two groups showed that Neolix neoniti caused significantly less canal transportation and had better canal centring ability than one shape files **Table 1** The mean and standard deviation values of the canaltransportation and centering ratio at the three studied levels(3,5 and 7 mm) for each tested group .

Level (mm)	Assessment	Neolix Neoniti	One Shape
3	Transportation	$.037333 \pm .0088372$.131333±.0106010
	Centering Ratio	.849400±.0639696	.294933±.0726031
5	Transportation	.056000±.0124212	.122000±.0086189
	Centering Ratio	.744733±.0937157	.452733±.0778180
7	Transportation	.034667±.0051640	.168667±.0341983
	Centering Ratio	.787867±.1055414	.421000±.0395529







Graph 2 Centering Ratio for Tested Groups

DISCUSSION

Canal anatomy, file systems used, instrumentation technique implemented are some of the factors that affect the outcome and prognosis of biomechanical preparation, as various iatrogenic errors like transportation, ledge formation, ineffective or excessive preparation are affected by it.^{2,12}Thus knowing canal centring and canal transportation ability of file system is important.

In this study canal centring and transportation ability of two NiTi files was evaluated using mesiobuccal canals of lower mandibular molars as these roots generally exhibit moderate to severe curvature and varied complex anatomy.^{2,12,17} CBCT was used for evaluation as CBCT is an important endodontic diagnostic aid and has proven to provide good results for evaluation of change in canal shape and transportation ability of the different instrumentation files,^{5,6,10} also it has an added advantage of reduced cost and scanning time, lower dosage of radiation and faster data acquisition compared to micro-CT.^{3,6}

In this study the null hypothesis was rejected as Neolix NeoNiti which consists of one C_1 file for coronal enlargement and three A_1 files (tip sizes of #20/0.06, #25/0.06,#40/0.04).^{4,5}showed significantly higher centring ration and lesser transportation as compared to One Shape file. In a study by byForghani *et al* in 2017 Neolix Neo NiTi when compared to Protaper universal files produced less canal deviation and transportation and also required less time for preparation.⁴ Also another study in 2016 compared canal transportation of Neolix Neo NiTi files with Reciproc files using similar methodology and concluded that NeoNiti caused significantly less canal transportation in both mesiodistal and buccolingual direction.

The results of this study are consistent with all the previous studies, that have concluded that Neolix NeoNiti files have better shaping properties and cause less canal deviation from its original anatomy.^{4,5,14,15} This may be due to its non-homothermic rectangular cross section at its gothic tip, also it has progressive flexibility which the manufacturers claim to be due to use of developed wire-cut electrical discharge machining (WEDM) and appropriate heat treatments.^{4,5,14,15}

In previous studies published few studies One shaped files had higher canal transporting ability than Wave One gold, Protaper universal files etc.^{6,7,16} Therefore the results of this study are consistent with the conclusions of the past studies where One Shaper files produced higher canal transportation than other NiTi files.^{5,6,7,16} One Shape files though produces increased cutting and require less preparation time nut these are less flexible due to their unique cross-section(triangular or modified triangular cross section and three sharp cutting edges in the middle and apical thirds and an S-shaped cross section with two cutting edges near the shaft).^{5,6}

CONCLUSION

Within the limitations of this study, it was concluded that Neolix Neoniti had a significantly higher centering ratio and less transportation than One Shapeat all the three levels tested i.e. 3mm, 5mm and 7mm from the apex.

References

 Maki K, Ebihara A, Kimura S, Nishijo M, Tokita D, Okiji T. Effect of Different Speeds of Up-and-down Motion on Canal Centering Ability and Vertical Force and Torque Generation of Nickel-titanium Rotary Instruments. J Endod. 2019 Jan;45(1):68-72.e1. doi: 10.1016/j.joen.2018.10.002.

- Aydın ZU, Keskin NB, Özyürek T, Geneci F, Ocak M, Çelik HH. Microcomputed Assessment of Transportation, Centering Ratio, Canal Area, and Volume Increase after Single-file Rotary and Reciprocating Glide Path Instrumentation in Curved Root Canals: A Laboratory Study. J Endod. 2019 Jun;45(6):791-796. doi: 10.1016/j.joen.2019.02.012.
- ArıcanÖztürk B, AtavAteş A, Fişekçioğlu E. Cone-Beam Computed Tomographic Analysis of Shaping Ability of XP-endo Shaper and ProTaper Next in Large Root Canals. J Endod. 2020 Mar;46(3):437-443. doi: 10.1016/j.joen.2019.11.014.
- 4. Forghani M, Hezarjaribi M, Teimouri H. Comparison of the shaping characteristics of Neolix and Protaper Universal systems in preparation of severely-curved simulated canals. J Clin Exp Dent. 2017;9(4):e556-9. http://www.medicinaoral.com/odo/volumenes/v9i4/jced v9i4p556.pdf
- Maryam Kuzekanani, Faranak Sadeghi, NimaHatami, Maryam Rad, MansourehDarijani, Laurence James Walsh, "Comparison of Canal Transportation, Separation Rate, and Preparation Time between One Shape and Neoniti (Neolix): An In Vitro CBCT Study", International Journal of Dentistry, vol. 2021, Article ID 6457071, 6 pages, 2021. https://doi.org/10.1155/202 1/6457071
- Santa Rosa J, de Sousa-Neto MD, Versiani MA, Nevares G, Xavier F, Romeiro K, Cassimiro M, Leoni GB, de Menezes RF, Albuquerque D. Shaping Ability of Single-file Systems with Different Movements: A Micro-computed Tomographic Study. Iran Endod J. 2016;11(3):228-33. Doi: 10.7508/iej.2016.03.016
- Bürklein S, Benten S, Schäfer E. Quantitative evaluation of apically extruded debris with different single-file systems: Reciproc, F360 and OneShape versus Mtwo. Int Endod J. 2014 May;47(5):405-9. doi: 10.1111/iej.12161.
- Schneider SW. A comparison of canal preparations in straight and curved root canals. Oral Surg Oral Med Oral Pathol. 1971 Aug;32(2):271-5. doi: 10.1016/0030-4220(71)90230-1.
- Pruett JP, Clement DJ, Carnes DL Jr. Cyclic fatigue testing of nickel-titanium endodontic instruments. J Endod. 1997 Feb;23(2):77-85. doi: 10.1016/S0099-2399(97)80250-6
- Barbosa-Ribeiro, Marlos *et al.* Canal transportation and centering ability of curved root canals prepared using rotary and reciprocating systems. Brazilian Journal of Oral Sciences [online]. 2015, v. 14, n. 3 [Accessed 15 April 2022], pp. 214-218. https://doi.org/10.1590/1677-3225v14n3a08.
- Gambill JM, Alder M, del Rio CE. Comparison of nickel-titanium and stainless steel hand-file instrumentation using computed tomography. J Endod. 1996 Jul;22(7):369-75. doi: 10.1016/S0099-2399(96)80221-4.
- 12. Arruda EDS, Sponchiado-Júnior EC, Pandolfo MT, Fredson MAC, Roberi Garcia LDF, Marques AAF. Apical Transportation and Centering Ability After Root Canal Filling Removal Using Reciprocating and Continuous Rotary Systems: A CBCT Study. Eur J

Comparative Evaluation of Canal Centring Ability And Canal Transportation During Biomechanical Preparation Using Two Niti Rotary Files Using Cbct:- An Invitro Study

Dent. 2019 Oct;13(4):613-618. doi: 10.1055/s-0039-3399407.

- Siqueira JF Jr, Alves FR, Versiani MA, Rôças IN, Almeida BM, Neves MA, Sousa-Neto MD. Correlative bacteriologic and micro-computed tomographic analysis of mandibular molar mesial canals prepared by selfadjusting file, reciproc, and twisted file systems. J Endod. 2013 Aug;39(8):1044-50. doi: 10.1016/j.joen.2013.04.034.
- Moazzami F, Khojastepour L, Nabavizadeh M, SeiedHabashi M. Cone-Beam Computed Tomography Assessment of Root Canal Transportation by Neoniti and Reciproc Single-File Systems. Iran Endod J. 2016; 11(2): 96-100. Doi: 10.7508/iej.2016.02.004
- Ruchi Gupta ,Annil Dhingra , Neha Aggarwal , Vikrant Yadav. A New Approach to Single File Endodontics: Neoniti Rotary File System. International Journal Of Advances In Case Reports, 2015;2(16):1030-1032.
- 16. van der Vyver PJ, Paleker F, Vorster M, de Wet FA. Root Canal Shaping Using Nickel Titanium, M-Wire, and Gold Wire: A Micro-computed Tomographic Comparative Study of One Shape, ProTaper Next, and WaveOne Gold Instruments in Maxillary First Molars. J Endod. 2019 Jan;45(1):62-67. doi: 10.1016/j.joen.2018.09.013.

- 17. Singh S, Abdul MS, Sharma U, Sainudeen S, Jain C, Kalliath JT. An in vitro comparative evaluation of volume of removed dentin, canal transportation, and centering ratio of 2Shape, WaveOne Gold, and ProTaper Gold files using cone-beam computed tomography. J Int Soc Prevent Communit Dent 2019;9:481-5.
- Hameed, Mohammed Abdul Rahman and Noor Salman Nadhum. "Shaping ability of Wave One, One Shape, Hyflex CM and Trushape 3 D Nickel Titanium Rotary Instruments with Different Access Angles." (2017).
- Perez Morales MLN, González Sánchez JA, Olivieri Fernández JG, Laperre K, Abella Sans F, Jaramillo DE, Terol FD. TRUShape Versus XP-endo Shaper: A Micro-computed Tomographic Assessment and Comparative Study of the Shaping Ability-An In Vitro Study. J Endod. 2020 Feb;46(2):271-276. doi: 10.1016/j.joen.2019.10.027.
- Elashiry, Mohamed Mohamed *et al.* "Comparison of Shaping Ability of Different Single-File Systems Using Microcomputed Tomography." *European journal of dentistry* vol. 14,1 (2020): 70-76. doi:10.1055/s-0040-1701393

How to cite this article:

Abhijit Sajo Sebastian *et al* (2022) 'Comparative Evaluation of Canal Centring Ability And Canal Transportation During Biomechanical Preparation Using Two Niti Rotary Files Using CBCT:- An Invitro Study', *International Journal of Current Advanced Research*, 11(04), pp. 648-651. DOI: http://dx.doi.org/10.24327/ijcar.2022.651.0146
