International Journal of Current Advanced Research

ISSN: O: 2319-6475, ISSN: P: 2319-6505, Impact Factor: 6.614 Available Online at www.journalijcar.org Volume 7; Issue 5(A); May 2018; Page No. 12258-12260 DOI: http://dx.doi.org/10.24327/ijcar.2018.12260.2147



STUDY REPORT ON THE EFFECT OF YOGA THERAPY ON SINUSITIS BY USING INFRA RED THERMAL IMAGING SYSTEM

Udayakumara.K*

Department of Human Consciousness and Yogic Sciences, Mangalore University, Mangalagnagothri-574 199, Karnataka

ARTICLE INFO	ABSTRACT					
Article History:	Sinusitis is an inflammatory disorder of the nasal sinuses. Yogic techniques have the					
Received 12 th February, 2018 Received in revised form 26 th March, 2018 Accepted 8 th April, 2018 Published online 28 th May, 2018	potentiality to prevent and cure such conditions by relieving the inflammation ar increasing the resistance against the infection. Even though several studies on the effective Yoga on Sinusitis have been done, no study was conducted with proper parameters evaluation. The present study intends to show the improvement, by normal parameters a special parameter, Infra Red Thermal Imaging System (IRTIS), which is a non-inv method. The efficacy of the yoga therapy on Sinusitis was studied with 20 sinusitis pa					
Key words:	of age group 19-53 years along with a control group. Yoga therapy was given for a period					
Yoga therapy, Sinusitis, Infra Red Thermal Imaging System	of 6 months including follow-up. The temperature variation recorded by the reading of IRTIS-200 was selected as the main parameter for the present study. Similarly the bloo tests for ESR, Total W.B.C. count and Differential count were also considered as other parameters.					
	The result obtained has been analyzed by using student paired 't' test. The experimental group has shown a highly significant change in the IRTIS reading in both right and left frontal sinus areas with t stat = 9.8856 , p < 0.001 and t stat = 10.4401 , p < 0.001 respectively. This is also correlated by the significant improvement in the blood test readings. These statistical significant changes were not seen in control group. This shows that yoga therapy helped to relieve the inflammation in Sinusitis condition and improved the resistance of the body against the infection.					

Copyright©2018 Udayakumara.K. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

Great Indian sages developed Yoga, which is a divine gift to the mankind to realize our own nature. Yoga is one of the ancient sciences prevalent from time immemorial. Recently, there has been an increased awareness in health through natural methods like yoga in all parts of the world. The origin of most of the diseases is in the mind according to yogic thought. The mind influences the body in every possible way. If it is not taken care properly, later it manifests in physical level and which intern effect normal body functions. Manifestation of a disease by the influence of mind is called psychosomatic disease. Day by day such psychosomatic diseases are increasing by the influence of modern lifestyle. Yoga is the unique solution, which can directly control the mind and helps to maintain healthy body and mind. Holistic approach of yoga has the potentiality to heal the patients completely from their ailments. The present research work is a unique scientific approach to assess and standardize the effect of yoga therapy.

*Corresponding author: Udayakumara.K Department of Human Consciousness and Yogic Sciences, Mangalore University, Mangalagnagothri-574 199, Karnataka For this purpose the assessment of the effect of yoga therapy on sinusitis is undertaken for study. The assessment is done by using Infra Red Thermal Imaging System (IRTIS). It is hypothesized that the effect of yoga therapy on sinusitis can be assessed by using IRTIS and it can be used as a parameter to study the effect of yoga therapy.

The IRTIS is a precise scanning infrared device for the measurement and visualization of the thermal field. It can be used for checking the condition of power stations, high-power transformers, high- voltage electric circuits and contacts, heat heat systems, investigating losses supply from buildings/constructions and in public health for examining the inflammations in a human body. Thermography is a noninvasive procedure that images the infrared radiation (heat) emitted from the body surfaces based on the principle that alterations in a variety of body functions will alter the cutaneous vascular supply that heats the skin. IRTIS can indicate abnormality based on variations in thermal temperatures (TT) in any part of the human body. Total noninvasiveness is the major benefit of Thermal Imaging System. The system may be used for early diagnosis of skin cancer, visualization of the patient reaction to different stimuli, observation of vascular diseases and in other applications. Increased temperature is found over the areas involved with an inflammatory process. Sinusitis is an inflammatory disorder. Therefore there will be an increase in TT at the areas of sinuses where there is an inflammation. It can be measured by using IRTIS and variation in TT recordings can be monitored by using this instrument. Therefore, the IRTIS is selected as the main parameter for the present study. Blood tests for ESR (Erythrocyte Sedimentation Rate), T.C (total white blood cell count) and DC (Differential count) are the other parameters considered.

MATERIALS AND METHODS

The assessment of the effect of yoga therapy on Sinusitis has been studied with 20 subjects of age group 19-53 years along with a control group of 20 subjects. The sinusitis subjects were finalized after taking the detailed case histories of the subjects. The study was done at the Department of Human Consciousness and Yogic Sciences, Mangalore University, Mangalagangothri, Karnataka under the guidance of Dr.K.Krishna Bhat, former Dean-Faculty of Science & Technology, Retd. Professor and Chairman, Department of Human Consciousness and Yogic Sciences, Mangalore University. Yoga therapy was given to the experimental group for a period of 6 months including follow-up. The IRTIS recordings were monitored in frontal sinus areas before starting the yoga therapy. Similarly, the blood tests for E.S.R, T.C and D.C were done before starting the therapy. No yoga therapy was given for the control group. However the IRTIS recordings were taken and blood tests were done for the control group before starting the study.

The following yogic practices were systematically taught for the experimental group. While giving therapy individual care has been taken and practices were taught separately to each subject for better results and precision in yoga practices. The Yogic practices given include Jalaneti kriyā, Sūtraneti kriyā, Kapālabhāti, Svastikāsana, Vajrāsana, Suptavajrāsana, Simhāsana, Tadāsana I, Trikonāsana, Parśvakonāsana, Paścimatānāsana, Purvatānasana, Pavanamuktāsana, Bhujangāsana, Śalabhāsana, Dhanurāsana, Bharadwājāsana, Ardhamatsyendrāsana, Viparītakaranī, Halāsana, Uttānapādāsana, Ujjavī Prānāyāma, Anuloma-Viloma Prānāyāma, Bhastrikā Prānāyāma and Shavāsana depending on their severity and causes of the Sinusitis condition. All the practices were gradually taught for the first 15 days and a complete course of yoga therapy was taught for the next 15 days. There after 5 months follow up was done in all the subjects and the IRTIS recordings were monitored at regular intervals in experimental group. Similarly after six months, the IRTIS recordings were monitored and the blood tests were done. In control group also after the duration of six months once again the IRTIS recordings were taken and blood tests were done.

RESULTS

It is observed that all the subjects either relieved or reduced from their sinusitis condition in the experimental group. But no such changes were found in case of control group. The observations were correlated with data collected through IRTIS recordings and blood test. The data collected for different parameters were analyzed by using Student paired't' test. The obtained values are tabulated below.

IRTIS readings – Experimental group

	Right Frontal Sinus area										
IRTIS	Mean TT	(in ⁰ C) S.D.	t stat	p-value	Signific					
readings	Before	After	Before After	value	p-value	ance					
Spot 1 [*]	33.12	32.54	0.6363 0.5311	3.3534	0.0033	HS					
Diff. between											
spot 1 & spot 2**	1.184	0.172	0.4787 0.1543	9.8856	< 0.001	HS					

Spot 1- a spot in frontal sinus area, Spot 2 - a spot about 1.5c.m upward vertical distance from spot 1,

TT - Thermal Temperature, HS- Highly Significant

Left Frontal Sinus area									
IRTIS readings			S.D.		t stat	p-value	Significance		
	Before	After	Before	After	- value				
Spot 1 [*]					3.0904		HS		
Diff. between spot 1 & spot 2 ^{**}	1.1295	0.2365	0.4714	0.2184	10.4401	< 0.001	HS		

Spot 1- a spot in frontal sinus area, Spot 2 - a spot about 1.5c.m upward vertical distance from spot 1, TT - Thermal Temperature, HS- Highly Significant

1 - Thermal Temperature, HS- Highly Significant

IRTIS readings -Control group

			ht Fron	tal Sinu	s area			
IRTIS	Mean TT	$(in {}^{0}C)$	S.	S.D.		p-value	Significance	
readings	Before	After	Before	After	value	p-value		
Spot 1 [*]	33.23	33.19	0.6354	0.5713	0.28616	0.7779	NS	
Diff.								
between								
spot 1 &	0.8445	0.9535	0.4982	0.5147	1.37397	0.1854	NS	
spot 2**								
Spot 1- a spot	in frontal	sinus area,	Spot 2 -	a spot abo	out 1.5c.m	upward ve	rtical distance	
from spot 1,								
TT - Thermal	Temperatu	ıre, NS- N	on Signif	icant				
Left Frontal Sinus area								
IRTIS read	ing Me	an TT (ir	¹ ⁰ C)	S.D.	t sta	at n vol	ueSignificance	
IN I IS lead	mgs Re	fore A	fter Re	fore Af	ter valu	ie p-vai	uc	

IRTIS readings	Mean T	Г (in ⁰ С)	S.D. Before After	t stat	n voluo ^S	Significance	
	Before	After	Before After	value	p-value		
Spot 1 [*]			0.6192 0.6259			NS	
Diff. between							
spot 1 & spot 2**	0.762	0.7755	0.45750.4307	0.1838	0.8561	NS	
Spot 1- a spot in fro from spot 1,	ontal sinus	area, Spot	2 - a spot about 1	.5c.m upv	vard vertica	al distance	

TT - Thermal Temperature, NS- Non Significant

Blood test–Experimental group

Blood test	Mean		S.	.D	t stat	р	Significance	
Blood test	Before	After	Before	After	value	value	Significance	
ESR (mm/hr)	14.2	9.5	10.8657	9.0117	4.3085	0.0004	HS	
T.C. (/ml)	7783.25	6772.5	2362.01	1162.74	2.1191	0.0475	S	
Neutrophils (%)	56.9	63.05	8.0844	3.7483	3.9994	0.0007	HS	
Lymphocytes(%)	37.95	32.95	7.4018	4.0585	3.4374	0.0028	HS	
Eosinophils (%)	4.4	3.3	1.8750	1.7199	2.7277	0.0134	S	
Monocytes (%)	0.7	0.65	1.2183	0.9881	0.3697	0.71	NS	

S- Significant, HS- Highly Significant, NS- Non Significant

Blood test-Control group

Blood test	Mean		S.	D	t stat	р	Significa
Dioou test	Before	After	Before	After	value	value	nce
ESR (mm/hr)	13.25	13.3	10.351	8.67	0.0507	0.9601	NS
T.C. (/ml)	7434.75	7330	1138.54	1033.19	1.0905	0.2891	NS
Neutrophils (%)	60.55	60.85	5.4818	4.0946	0.4457	0.6609	NS
Lymphocytes(%)	34.65	34.55	4.7047	3.3478	0.1487	0.8833	NS
Eosinophils (%)	4.25	4.2	1.7434	1.43637	0.1951	0.8474	NS
Monocytes (%)	0.4	0.35	0.5982	0.5871	1	0.3299	NS

NS- Non Significant

DISCUSSION

The experimental group has shown highly significant reduction in the mean thermal temperatures (TT) in the IRTIS readings of a spot (near supra-orbital foramen) in frontal sinus area (spot 1) in both right and left frontal sinuses from 33.12° C to 32.54° C and 33.11° C to 32.61° C with t stat = 3.3534, p =0.0033 and t stat = 3.0904, p =0.006 respectively. The

decrease in the IRTIS reading indicates the reduction in inflammation of the sinuses. However naturally there will be a temperature variation in different parts of the body. Similarly, other external facts may also affect the body temperature. To nullify this fact the difference between the TT of spot 1 and a near by spot, spot 2 (about 1.5c.m upward vertical distance from spot 1) were calculated by recording the TT of these two spots. The experimental group has shown highly significant reduction in the TT difference of IRTIS readings (from 1.184° C to 0.172° C & from 1.1295° C to 0.2365° C) with t stat = 9.8856, p < 0.001 and t stat = 10.4401, p < 0.001 for right and left frontal sinuses respectively. However, symptomatically all the subjects in experimental group were got relief from their symptoms of sinusitis. This improvement is statistically proved by the readings of IRTIS. It is important to know that this is correlated by the significant improvement in the blood test readings.

The total white blood cell count (T.C) decreased significantly from 7783.25/ml to 6772.5/ml with t=2.1191 and p=0.0475. The ESR also significantly reduced from 14.2 mm/hr to 9.5 mm/hr with t stat = 4.3085, p= 0.0004 indicating a significant reduction in the inflammation. Neutrophil percentage has been normalized with t=3.9994 and p=0.0007. Lymphocytes percentage has been decreased from 37.7857 to 34.5 with t stat = 3.4374, p= 0.0028 indicating a reduction in the infections. Eosinophils percentage significantly reduced from 4.4 to 3.3 with t stat = 2.7277, p= 0.0134 indicating a reduction in the allergic reaction and an increase in body resistance against the allergens. But these significant statistical changes were not seen in control group. There is no significant change in mean TT of control group at spot1 in right and left frontal sinuses $(before=33.23^{\circ}C)$ after= 33.19° C & before=33.18°C; after= 33.08° C) with t stat = 0.28616, p =0.7779 and t stat = 0.6451, p=0.5266 respectively. Control group has got statistically non significant values for TT difference $(before=0.8445^{\circ}C; after=0.9535^{\circ}C)$ & before=0.762°C; after= 0.7755° C) with t stat = 1.7688, p =0.1004 and t stat = 0.9351, p =0.3668 respectively for right and left frontal sinuses. Similarly all the statistical values for ESR, T.C and D.C were non significant in case of control group.

Above discussion shows that yoga therapy helped to relieve the inflammation of sinusitis and improved the resistance of the body in experimental group. In the present study it is important to observe that this improvement is clearly shown by Infra Red Thermal Imaging System. There is no such instrument which can assess the improvement in the treatment of sinusitis. Thus the research study scientifically proved that the effect of yoga therapy on sinusitis can be assessed by Infra Red Thermal Imaging System. Hence IRTIS which is a totally non-invasive method can be used as an effective tool to assess the efficacy of yoga therapy.

CONCLUSION

Based on the discussion of the data obtained we can conclude that the effect of yoga therapy on Sinusitis can be assessed by using Infra Red Thermal Imaging System and blood test. Present research work showed that Infra Red Thermal Imaging System, which is a totally non-invasive method, can be used to diagnose the Sinusitis and other inflammatory diseases and it can be used as a parameter to assess the efficacy of yoga therapy. This study proves that Yoga can be used as a better therapeutical method in the treatment of Sinusitis.

References

- 1. Swami K & Vinekar S.L. Yogic Therapy. New Delhi: Central Health Education Bureau; 1963
- Shrikanth MR. Vaghbhata's Astanga Hrdayam. Sūtra Sthāna & Sharira Sthāna. Vol. 1., Ch. 19. Gopal Mandir Lane, Varanasi: Krishnadas Academy, Oriental Publishers and Distributors; 1997.
- Bhole MV. Chronic Diseases of Nose and Their Yogic Treatment.Vol. 14. Kaivalyadhama, Lonavala: Yoga Mimamsa; 1971.
- 4. Borensteim. Low back pain Medical diagnosis and comprehensive management. Philadelphia, Pennsylvania: W B Saunders Company; 1995
- 5. Operating Instruction Manual Infra Red Thermal Imaging Systems. Moscow, Russia: Starosadskype Publications; 2008
- 6. Dorland's Pocket Medical Dictionary. Philadelphia, Pennsylvania: Saunders, Elsevier; 2006
- Swami V. Rājayoga (Pātañjala Yogasūtra). Calcutta: Advaita Ashrama; 2002.
- 8. Swami D. Hathapradīpikā of Svātmārāma. Lonavala, Pune: Kaivalyadhama, S.M.Y.M.Samiti; 1998.
- 9. Swami D. Gheranda Samhita of Gheranda. Lonavala, Pune: Kaivalyadhama S.M.Y.M.Samiti; 1997.
- Bhole MV. Yogic treatment of chronic Rhinitis and Sinusitis. Vol.17. Kaivalyadhama, Lonavala: Maharashtra Medical Journal; 1970.
- 11. Bhat Krishna K, Udayakumara K. Assessment of the effect of Yoga Therapy on sinusitis using infrared thermal imaging system. Vol. 3, Issue.1. New Delhi: *International Journal of Yoga & Allied Science*; 2014
- 12. Rabago D. Qualitative Aspects of Nasal Irrigation Use by Patients with Chronic Sinus Disease in a Multi method Study. Vol.8. New York: *Journal of Family Medicine*; 2006.
- Balayogi B.A.Scientific basis for some Yoga practices in Sinusitis.Vol.39. Kaivalyadhama, Lonavala: Yoga Mimamsa; 2007
- 14. Udayakumara K. Yogic Approach for the Management of Sinusitis. Vol.5, Issue.1. Bangalore: *International Journal of Yoga - Philosophy, Psychology and Parapsychology*; 2017
- 15. Vicent, Pedro De. Neti kriya in the management of bronchial asthma and spastic descending conditions of the respiratory tract, Vol. 40, Yoga Mimāmsa; 2008.
- 16. Shirley T, Nagarathna R, Nagendra R. Breathing through a Particular Nostril can Alter Metabolism and Autonomic Activities. Appajappa Agrahara, Chamarajpet, Bangalore: Vivekananda Kendra Yoga Research Foundation; 1994.
